

SHIP PRODUCTION COMMITTEE  
FACILITIES AND ENVIRONMENTAL EFFECTS  
SURFACE PREPARATION AND COATINGS  
DESIGN/PRODUCTION INTEGRATION  
HUMAN RESOURCE INNOVATION  
MARINE INDUSTRY STANDARDS  
WELDING  
INDUSTRIAL ENGINEERING  
EDUCATION AND TRAINING

October 1999  
NSRP 0526  
N8-96-3

# **THE NATIONAL SHIPBUILDING RESEARCH PROGRAM**

## **Application of Industrial Engineering Techniques to Reduce Workers' Compensation and Environmental Costs - Deliverable H**

U.S. DEPARTMENT OF THE NAVY  
CARDEROCK DIVISION,  
NAVAL SURFACE WARFARE CENTER

in cooperation with  
National Steel and Shipbuilding Company  
San Diego, California

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE <b>OCT 1999</b>		2. REPORT TYPE <b>N/A</b>		3. DATES COVERED <b>-</b>	
4. TITLE AND SUBTITLE <b>The National Shipbuilding Research Program, Application of Industrial Engineering Techniques to Reduce Workers' Compensation and Environmental Costs - Deliverable H</b>				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) <b>Naval Surface Warfare Center CD Code 2230-Design Integration Tools Bldg 192, Room 128 9500 MacArthur Blvd Bethesda, MD 20817-5700</b>				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT <b>Approved for public release, distribution unlimited</b>					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT <b>SAR</b>	18. NUMBER OF PAGES <b>31</b>	19a. NAME OF RESPONSIBLE PERSON
a. REPORT <b>unclassified</b>	b. ABSTRACT <b>unclassified</b>	c. THIS PAGE <b>unclassified</b>			

## DISCLAIMER

These reports were prepared as an account of government-sponsored work. Neither the United States, nor the United States Navy, nor any person acting on behalf of the United States Navy (A) makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness or usefulness of the information contained in this report/manual, or that the use of any information, apparatus, method, or process disclosed in this report may not infringe privately owned rights; or (B) assumes any liabilities with respect to the use of or for damages resulting from the use of any information, apparatus, method, or process disclosed in the report. As used in the above, "Persons acting on behalf of the United States Navy" includes any employee, contractor, or subcontractor to the contractor of the United States Navy to the extent that such employee, contractor, or subcontractor to the contractor prepares, handles, or distributes, or provides access to any information pursuant to his employment or contract or subcontract to the contractor with the United States Navy. ANY POSSIBLE IMPLIED WARRANTIES OF MERCHANTABILITY AND/OR FITNESS FOR PURPOSE ARE SPECIFICALLY DISCLAIMED.

## DELIVERABLE H

### IMPLEMENTATION OF THE WIXEL EXECU-TRAX WASTE MANAGEMENT SOFTWARE AT NASSCO

**NATIONAL SHIPBUILDING RESEARCH PROGRAM  
PANEL SP-8  
PROJECT 8-96-3**

**APPLICATION OF INDUSTRIAL ENGINEERING TECHNIQUES TO  
REDUCE WORKERS' COMPENSATION AND ENVIRONMENTAL  
COSTS**

**DELIVERABLE H**

**IMPLEMENTATION OF THE WIXEL EXECU-TRAX WASTE  
MANAGEMENT SOFTWARE AT NASSCO**

**SUBMITTED BY:**

---

**THOMAS FAWCETT  
PROJECT MANAGER**

---

**FRED HOGAN  
PROJECT ENGINEER**

## Table of Contents

	Page
1.0 Introduction	1
2.0 Industrial Engineering & Environmental Management	1
3.0 Hazardous Material/Waste Tracking at NASSCO	1
4.0 Hazardous Material/Waste Management Software Evaluation	2
5.0 Wixel ExecuTrax Waste Management Software & the Benefits	2 - 3
6.0 Implementation of Wixel ExecuTrax at NASSCO	3 - 5
6.1 ExecuTrax Software User Training	3
6.2 Data Input	3
6.3 Generator Information	3
6.4 Waste Generating Departments	3
6.5 On-Site Waste Streams	4
6.6 Transporter Information	4
6.7 TSDF Information	4
6.8 Active Profiles	4
6.9 Hazardous Waste Disposal Costs	4
6.10 On-Site Container List	4
6.11 Producing a Waste Shipment	4
6.12 Generating Hazardous Waste Manifest	5
7.0 Conclusion and Recommendation	5
Attachments	
A. NASSCO Department List	
B. NASSCO On-Site Waste Stream	
C. Waste Stream List	
D. Transporters	
E. Active TSDFs	
F. Active NASSCO Profiles	
G. Hazardous Waste Disposal Costs	
H. On-Site Container List	
I. Hazardous Waste Manifest	

# ***Application of Industrial Engineering Techniques to Reduce Worker Compensation and Environmental Costs***

## ***N8-96-3***

### **Implementation of the Wixel ExecuTrax Waste Management Software**

#### ***1.0 Introduction***

As a sub-task of the NSRP project, *Application of Industrial Engineering Techniques to reduce Workers Compensation and Environmental Costs (8-96-3)*, the NASSCO Environmental Engineering Department performed an investigation of various waste management software. The investigation involved searching for efficient methods of tracking costs and volume of hazardous and non-hazardous wastes using industrial engineering techniques. The hazardous material/waste management software ExecuTrax from Wixel, Inc. was chosen for its capabilities for an optimum management of information.

This report describes the logistics of implementing the software at the NASSCO shipyard.

#### ***2.0 Industrial Engineering & Environmental Management***

The promulgation of more stringent environmental laws and regulations over the past two decades has prompted the industrial community, including the shipbuilding and repair industry, to expand its efforts to comply with the laws and regulations and to proactively manage hazardous wastes. The costs to control and dispose of generated hazardous wastes has risen steadily as a result of those enacted laws and regulations.

Industrial engineering human factors techniques have been applied to various shipyard production processes for many years. However, the application of industrial engineering techniques to the shipyard environmental management for a better cost control and increased productivity has been limited. In this sub-task, a waste management software has been chosen and is in the process of being instituted to the NASSCO shipyard to demonstrate the benefits of implementing industrial engineering techniques for better environmental management practices.

#### ***3.0 Hazardous Material/Waste Tracking at NASSCO***

There had been no efficient methods of characterizing and tracking the cost and volume of hazardous and non-hazardous wastes that were generated from production operations at the NASSCO shipyard. The tracking system that had been used at NASSCO was archaic, slow, and labor intensive.

It was recognized that there would be significant benefits to NASSCO should an automated process be implemented for effective tracking, segregation, and assignment of

disposal costs to the producing departments. Such a process would also allow NASSCO to identify and track waste streams that can be evaluated for the waste minimization efforts.

#### *4.0 Hazardous Material/Waste Management Software Evaluation*

The NASSCO Environmental Engineering Department evaluated over fifteen waste management software that were available on the market.

NASSCO Environmental Engineering set the following specific criteria for the waste management software. The software must:

- Allow the generator, the shipyard, to track waste activities from its generation to disposal;
- Allow easy and efficient tracking of waste containers throughout the waste generating activities;
- Has the ability to allocate waste volume and disposal costs to each generating department or area;
- Has the ability to integrate all related data into one program;
- Has the ability to track and maintain archive and current data;
- Has a capability to generate reports for the regulatory agencies;
- Be inexpensive to be recommended to the US shipyards;
- Be user friendly and easy to use for those who are less computer literate; and
- Run on a PC-based computer system preferably with network link capabilities;

Most software offered variety of capabilities that were above and beyond what NASSCO Environmental Engineering was seeking. Some offered linking the waste generating activities to other activities including material purchase, production scheduling, and accounting. The cost of some software was as much as \$30,000.

#### *5.0 Wixel ExecuTrax Waste Management Software & the Benefits*

The NASSCO Environmental Engineering Department chose Wixel ExecuTrax Waste Management Software to be implemented at the NASSCO shipyard.

ExecuTrax is a PC-based “user-friendly” software with various capabilities for an effective waste management. ExecuTrax allows the hazardous waste generator a precise “Cradle-to-Grave” waste management tracking. It also has a built-in warning system that provides prevention of violations and waste profile expirations, thus, allowing the generator to avoid fines and penalties. It contains pre-populated databases that integrate all related data into one program. Commonly used information such as the generator information, the transporter information, and the treatment, storage, and disposal facility information need only be entered once, and the software handles cross-referencing of pertinent information to all necessary areas of the system. This promotes data uniformity and significantly reduces the possibility of errors that can be caused by multiple users. ExecuTrax produces informative and accurate reports for management analysis tools and



for submitting to the regulatory agencies. It has the network capabilities that provide instant access to all users involved. It also has the capabilities to adapt and customize the program to the particular requirements of the user and user's systems.

ExecuTrax was the most cost efficient system among the software NASSCO Environmental Engineering evaluated. NASSCO purchased the multi-user license for ExecuTrax for \$5,100. NASSCO also purchased the technical support contract for \$1,100 annually. The technical support contract entails receiving technical support services and any future software upgrades.

All the capabilities ExecuTrax provide will allow the NASSCO Environmental Engineering Department an efficient collection and management of information related to hazardous and non-hazardous wastes. Furthermore, the data collected will enable the Environmental Engineering Department to identify areas within the NASSCO shipyard that generate large quantities of wastes and to apply industrial engineering techniques to those areas for process improvements for waste reduction and disposal cost reduction.

In summary the major benefits are:

1. Reduction in the biennial hazardous waste report preparation time.
  - a. 80 hours to 8 hours (approx.)
2. Ease of hazardous waste generator fee and tax calculation.
3. Increase efficiency of the waste management information tracking.
4. Ability to integrate into an environmental management system.

## *6.0 Implementation of Wixel ExecuTrax at NASSCO*

### *6.1 ExecuTrax Software User Training*

The NASSCO Environmental Engineering Department staff and the NASSCO HAZMAT personnel received a three-day training on how to use ExecuTrax.

### *6.2 Data Input*

The software has been purchased and installed in the NASSCO computer system network. As with any data management software, ExecuTrax requires initial loading of information pertaining to the NASSCO operations. The following information has been entered into the waste module of ExecuTrax to customize to the NASSCO operations:

### *6.3 Generator Information*

The information pertinent to waste management practices at NASSCO has been entered. The EPA identification number, the state identification number, NASSCO address, point of contact, and telephone numbers have been entered.

### *6.4 Waste Generating Departments*

To aid in the waste minimization efforts, the contents of each wastes container are assigned to their generating department/area. A total of 32 generating

departments of NASSCO have been identified and entered into the ExecuTrax system. See Attachment A. NASSCO Department List.

#### *6.5 On-Site Waste Streams*

A total of 44 different hazardous waste streams are generated from the NASSCO operations. They range from oily waste water to flammable aerosol cans. Those 44 waste streams have been loaded to the ExecuTrax waste module. A list of NASSCO On-Site Waste Stream is included in this report as Attachment B. The Attachment C, Waste Stream List describes the waste streams by the proper DOT shipping name and EPA waste codes. The information as shown in the Attachments B and C will allow the Environmental Engineering Department to generate accurate waste reports to be submitted to regulatory agencies such as EPA and Cal EPA.

#### *6.6 Transporter Information*

NASSCO currently uses four transporters for shipping hazardous wastes to various treatment, storage and disposal facilities (TSDF's). The Attachment D lists the transporters.

#### *6.7 TSDF Information*

NASSCO currently uses TSDF's for disposal of its hazardous wastes. The Attachment E lists the active TSDF's.

#### *6.8 Active Profiles*

There are 44 active NASSCO hazardous waste profiles that have been set up with various TSDF's for proper hazardous waste disposal. The Attachment F lists the active profiles.

#### *6.9 Hazardous Waste Disposal Costs*

One of ExecuTrax's capabilities is allowing the generator to track hazardous waste disposal costs. The disposal cost for each waste stream has been entered into ExecuTrax as shown in the Attachment G.

#### *6.10 On-Site Container List*

The Attachment H, On-Site Container List, illustrates some of the waste containers that were on site at the NASSCO shipyard that were ready for transport to an off-site TSDF. The accurate container tracking is essential to processing the wastes on time to avoid any enforcement actions by the regulatory agencies.

#### *6.11 Producing a Waste Shipment*

ExecuTrax allows the generator three different ways to produce shipments. The waste can be produced by the containers, by waste streams, or by shipping names. Each has its own advantages. Producing the shipment by the containers allows the

generator a greater control over keeping track of container inventory. Producing the shipment by the shipping name is recommended only for printing waste manifests.

#### *6.12 Generating Hazardous Waste Manifest*

ExecuTrax compiles the information that has been entered and generates a hazardous waste manifest. The generator information, transporter information, TSDf information, waste information with the proper US DOT shipping description, any special handling information will be printed on the manifest. The Attachment I is a copy of the ExecuTrax generated Uniform Hazardous Waste Manifest with the pertinent information that would be on a real manifest. This manifest was generated from the NASSCO waste information that was entered into the software.


### **7.0 Conclusion and Recommendation**

With the simplicity and ease of use of Wixel ExecuTrax, NASSCO foresees a great opportunity in streamlining its waste information management. The data collected will enable the Environmental Engineering Department to identify areas within the NASSCO shipyard that generate large quantities of wastes for waste reduction efforts. Furthermore, NASSCO will be able to apply various industrial engineering techniques to those areas for process improvements and cost reduction.

The findings from this sub-task of the NSRP project N8-96-3 indicate that there is a great potential for applying industrial engineering techniques for better and efficient environmental management. Using a tool such as the ExecuTrax waste management software will be beneficial to the US shipyard industry for the better environmental management, process improvements, and cost reduction.


## Attachments

## 1. Creating & Selecting a Generator Database



Generator List Box and Document Window

## 2. Entering Department Information



Department Information List Box & Document Window

## NASSCO

Department List

Printed: 5/25/98

Name: Flame Spray Code: 015  
 Address: 28th & Harbor Dr.  
 San Diego CA 92113

Description	Phone	Extension	Contact
Flame Spray	(619) 544-8549		Roberta Schwab

Name: Floating Drydock Code: 026  
 Address: 28th & Harbor Dr.  
 San Diego CA 92113

Description	Phone	Extension	Contact
Floating Drydock	(619) 544-8775		Akbar Gaya
Floating Drydock	(619) 544-3450		Joe Pritchard
Floating Drydock	(619) 544-3601		Lee Downing

Name: GNP Area Code: 007  
 Address: 28th & Harbor Dr.  
 San Diego CA 92113

Description	Phone	Extension	Contact
GNP Area	(619) 544-8549		Roberta Schwab

Name: Grit Blast Area, Bldg. 70 Code: 017  
 Address: 28th & Harbor Dr.  
 San Diego CA 92113

Description	Phone	Extension	Contact
Grit Blast Area	(619) 544-7578		Art Allen

Name: Hopeman Brothers Code: 022  
 Address: 28th & Harbor Dr.  
 San Diego CA 92113

Description	Phone	Extension	Contact
Hopeman Bros.	(619) 544-7729		Pat Murray

Name: Machine Shop, Bldg. 8 Code: 027  
 Address: 28th & Harbor Dr.  
 San Diego CA 92113

Description	Phone	Extension	Contact
Machine Shop	(619) 544-8421		John Walden

Exec/Trax (Waste Module)

Page: 3

<b>NASSCO</b> CAC009158932		
EPA Hazardous Waste Report - Form GM Worksheet Between 1/01/98 and 12/31/98		Printed: 9/15/98
<hr/>		
<b>Section I:</b>		
A. Waste Description:    Ansul Fire Protection		
Waste Profile:        AFFF	Code:    0001	
EPA Hazard Class:    None		
Additional Desc:		
- DOT Shipping Description _____		
Non-RCRA Hazardous Waste Liquid, Fire Protection Compound		
<hr/>		
<input type="checkbox"/> Hazardous Material <input checked="" type="checkbox"/> Regulated		
B. EPA Hazardous Waste Code(s):		
(None Specified)		
C. State Waste Code(s):    343		
D. SIC Code:    3731	E. Origin Code:	F. Source Code:
H. Form Code:		G. Point of Measurement:
I. RCRA Radioactive:    2		
<b>Section II:</b>		
A. Quantity Produced in Previous Period:		0.00 (1/01/1997 - 12/31/1997)
B. Quantity Generated in Current Period:		0.00
C. UOM:    1    Density:    1.000 (Specific Gravity)		
<b>Section III:</b>		
*** Waste was not shipped off-site ***		
<hr/>		
Exxon/Trax Waste Material		Page:    1



**NASSCO**  
CAD009158932EPA Hazardous Waste Report - Form GM Worksheet  
Between 1/01/98 and 12/31/98

Printed: 9/18/98

**Section I:**

**A. Waste Description:** Contaminated Soil from Storm Drain Clean Out  
**Waste Profile:** Contaminated Soil **Code:** 0002  
**EPA Hazard Class:** Listed  
**Additional Desc:**

**DOT Shipping Description**  
"RQ", Hazardous Waste, Solid, N.O.S., NA3077, RQ1, PGIII

☐ Hazardous Material ☒ Regulated

**B. EPA Hazardous Waste Code(s):**  
D005,D007,D008

**C. State Waste Code(s):** 171

**D. SIC Code:** 3731 **E. Origin Code:** 1 **F. Source Code:** A19 **G. Point of Measurement:**

**H. Form Code:** B302 **I. RCRA Radioactive:** 2

**Section II:**


**A. Quantity Produced in Previous Period:** 0.00 (1/01/1997 - 12/31/1997)  
**B. Quantity Generated in Current Period:** 1,200.00  
**C. UOM:** 1 **Density:** 1.000 (Specific Gravity)

**Section III:****Site 1**

**B. EPA ID Number of Facility:** CAD050806850 (Laidlaw Environmental Services)  
**C. System Type(s) Shipped To:** M141  
**D. Off-site Availability Code:** 1  
**E. Total Quantity Shipped:** 1,200.00 (Quantity as it appeared on the manifests)


NASSCO							
On-Site Container List				Printed: 8/26/98			
<u>Container/Alt Container</u>	<u>Date</u>	<u>Location</u>	<u>Row</u>	<u>Col</u>	<u>Layer</u>	<u># Days</u>	
DM-98-00001	8/24/98					2	
	Waste Stream:	Petroleum Naphtha					
DM-98-00002	8/24/98					2	
	Waste Stream:	Petroleum Naphtha					
DM-98-00003	8/24/98					2	
	Waste Stream:	Petroleum Naphtha					
DM-98-00004	8/24/98					2	
	Waste Stream:	Petroleum Naphtha					
DM-98-00005	8/24/98					2	
	Waste Stream:	Petroleum Naphtha					
DM-98-00006	8/24/98					2	
	Waste Stream:	Petroleum Naphtha					
DM-98-00007	8/24/98					2	
	Waste Stream:	Petroleum Naphtha					
DM-98-00008	8/24/98					2	
	Waste Stream:	Petroleum Naphtha					

## 8. Entering Shipment Information




Shipment Information List Box and Document Window

## 8.1 Entering Shipment Information by Container



Modify Contents of a Shipment Document Window

## 4. Entering Transporter Information



Transporter Information List Box & Document Window

## NASSCO

Transporter List

Printed: 8/19/98

Name: Action Cleaning

Code: 3

Address:

County:

EPA ID: CAD980812978

SIC Code:

Description

Action Cleaning

Phone

(619) 233-1881

ExtensionContact

Name: Laidlaw Environmental Services

Code: 2

Address:

County:

EPA ID: CAD000083121

SIC Code:

DescriptionPhone

(619) 344-9400

ExtensionContact

Name: MP Environmental

Code: 1

Address:

County:

EPA ID: CAT000624247

SIC Code:

DescriptionPhone

(800) 393-1151

ExtensionContact

Name: Safety-Kleen Corp.

Code: 4

Address:

County:

EPA ID: ILD984908202

SIC Code:

Description

Safety-Kleen

Phone

(800) 669-5740

ExtensionContact

## Attachment E. NASSCO TSDf List

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)


Form NOT Approved. NO OMB Number.

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. CAD009158932	Manifest Document No. 09301	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address NASSCO 28th & Harbor Drive San Diego, CA 92113		6. US EPA ID Number LD984908202		A. State Manifest Document Number 97361403		
4. Generator's Phone (619) 544-7736		7. Transporter 1 Company Name Safety-Kleen Corp.		B. State Generator's ID HA-HQ-36-005218		
5. Transporter 1 Company Name Safety-Kleen Corp.		8. US EPA ID Number		C. State Transporter's ID		
7. Transporter 2 Company Name		10. US EPA ID Number		D. Transporters Phone (800)669-5740		
9. Designated Facility Name and Site Address Safety-Kleen Corp. 2120 S. Yale St. Santa Ana, CA 92704		10. US EPA ID Number CAT000613976		E. State Transporter's ID		
				F. Transporter's Phone		
				G. State Facility's ID		
				H. Facility's Phone (714)241-7047		
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers		13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. <input type="checkbox"/> HM Waste Combustible Liquid, N.O.S., (Petroleum Naphtha), NA1993		No. Type				
		1 15 DM			G	D039, D008, D018, D040
b.						
c.						
d.						
J. Additional Description for Materials Listed Above		K. Handling Codes for Wastes Listed Above				
15. Special Handling Instructions and Additional Information						
16. GENERATORS CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and I can afford.						
Printed / Typed Name		Signature		Month Day Year		
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature		Month Day Year		
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature		Month Day Year		
19. Discrepancy Indication Space						
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.						
Printed / Typed Name		Signature		Month Day Year		

THIS IS NOT A LEGAL DOCUMENT

EPA Form 5700-21 (Rev. 9-88) Previous editions are obsolete.

## 5. Entering Waste Profile Definition Information



Waste Profile Information List Box & Document Window



Printed: 8/03/98

## General Information

Code: 309104

DOT Shipping Description:

Packing Group:

Form Code: B009

Gen Source Code: A99

Special Handling Instructions:

## NASSCO

Waste Stream List

Printed: 8/03/98

## General Information

Description: Paint Solids

Code: 24917

RQ: ☒ Regulated ☐ Hazardous Material

## DOT Shipping Description:

"RQ", Waste Flammable Solids, N.O.S. (Paint Solids with Acetone, Toluene), 4.1, UN 1325, PG II

UN/NA Number: 1325

Packing Group: II

Origin Code: 1

Hazard Class: 4.1

Form Code: B604

EPA Hazard Class: Ignitable

Gen Source Code: A21

Additional Description: "Flammable Solids" label required

Special Handling Instructions:

## EPA Waste Code(s)

Code	Weight	LB Sub-Category
D001	0.0	
D035	0.0	

## NASSCO

Waste Stream List

Printed: 8/03/98

## General Information

Description: Petroleum Naphtha

Code: Safety-Kln

RQ: ☒ Regulated ☐ Hazardous Material

## DOT Shipping Description:

Waste Combustible Liquid, N.O.S., (Petroleum Naphtha),  
NA1993

UN/NA Number: 1993

Packing Group:

Origin Code: 1

Hazard Class:

Form Code: B202

EPA Hazard Class: Listed

Gen Source Code: A19

Additional Description:

Special Handling Instructions:

## EPA Waste Code(s)

<u>Code</u>	<u>Weight</u>	<u>LB Sub-Category</u>
D039	0.0	

## NASSCO

Waste Stream List

Printed: 8/03/98

---

### General Information

Description: Zinc Primer

Code: 25544

RQ: ☐ Regulated ☐ Hazardous Material

DOT Shipping Description:

Non-RCRA, Hazardous Waste Solid, (Zinc Primer)

UN/NA Number: NONE

Packing Group:

Origin Code: 1

Hazard Class:

Form Code: B409

EPA Hazard Class: None


Gen Source Code: A99

Additional Description:

Special Handling Instructions:

---

### Cost Allocation Information By Dept. Document Window



## NASSCO

TSD Pricing

Printed: 8/19/98

## Waste Stream: Oil Filter Cake

<u>Cost Code</u>	<u>Description</u>	<u>Cost</u>	<u>Cost Type</u>
30GD	30-gal drum	242.000	
55GD	55-gal drum	285.000	
XPORT	Transportation cost	450.000	

## Waste Stream: Oily Waste Water

<u>Cost Code</u>	<u>Description</u>	<u>Cost</u>	<u>Cost Type</u>
------------------	--------------------	-------------	------------------

## Waste Stream: Paint Booth Filters

<u>Cost Code</u>	<u>Description</u>	<u>Cost</u>	<u>Cost Type</u>
30GD	30-gal drum	166.000	
55GD	55-gal drum	195.000	
XPORT	Transportation cost	450.000	


## Waste Stream: Paint Solids

<u>Cost Code</u>	<u>Description</u>	<u>Cost</u>	<u>Cost Type</u>
30GD	30-gal drum	238.000	
55GD	55-gal drum	280.000	
XPORT	Transportation cost	450.000	




## Waste Stream: Photographic &amp; Blueprint

<u>Cost Code</u>	<u>Description</u>	<u>Cost</u>	<u>Cost Type</u>
30GD	30-gal drum	160.000	
55GD	55-gal drum	188.000	
XPORT	Transportation cost	450.000	

## ***“Edit” Screens:***



## ***“Containers” Screens***



# Attachment I Uniform Hazardous Waste Manifest

Please print or type. (Form designed for use on 8 1/2 x 11 (12-pitch) typewriter.) Form NOT Approved. NO OMB Number.

<b>UNIFORM HAZARDOUS WASTE MANIFEST</b>		1. Generator's US EPA ID No. CAD009158932	Manifest Document No. 97100	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address NASSCO 28th & Harbor Drive San Diego, CA 92113				A. State Manifest Document Number 93231948		
4. Generator's Phone (619) 544-7736				B. State Generator's ID HA-HQ-36-005218		
5. Transporter 1 Company Name Laidlaw Environmental Services		6. US EPA ID Number CAD000083121	C. State Transporter's ID			
7. Transporter 2 Company Name		8. US EPA ID Number	D. Transporters Phone (619) 344-9400			
9. Designated Facility Name and Site Address Laidlaw Environmental Services 5756 Alba Street Los Angeles, CA 90058		10. US EPA ID Number CAD050806850	E. State Transporter's ID			
			F. Transporter's Phone			
			G. State Facility's ID			
			H. Facility's Phone (213) 585-5063			
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)			12. Containers No.	13. Total Quantity	14. Unit Wt/Vol	15. Waste No.
a. Waste Flammable Solids, Organic, N.O.S. (Rags Contaminated with Paint, Petroleum Distillates), 4.1, UN1325, PG II			28	DM	4,200	P
b. Aerosols, flammable, (EACH NOT EXCEEDING 1 L CAPACITY), UN1950			11	DM	1,375	P
c. Non-RCRA Hazardous Waste, Solid (Oil Contaminated Absorbent)			5	DM	750	P
d. Non-RCRA, Hazardous Waste Solid, Wax/Grease			6	DM	2,400	P
J. Additional Description for Materials Listed Above LINE A: SDNAS-24926: Contaminated Rags "Flammable Solids" label required LINE B: SDNAS-24911: Spray Cans LINE C: SDNAS-24915: Oil Absorbent LINE D: SDNAS-24927: Wax/Grease				K. Handling Codes for Wastes Listed Above		
15. Special Handling Instructions and Additional Information						
16. GENERATORS CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and I can afford.						
Printed / Typed Name			Signature		Month Day Year	
17. Transporter 1 Acknowledgement of Receipt of Materials						
Printed / Typed Name			Signature		Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials						
Printed / Typed Name			Signature		Month Day Year	
19. Discrepancy Indication Space						
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.						
Printed / Typed Name			Signature		Month Day Year	

THIS IS NOT A LEGAL DOCUMENT EPA Form 8700-22 (Rev. 9-88) Previous editions are obsolete.